

NGS



耐格斯气动 Nagels Pneumatic

产品选型 · 价目表 · 2011
CATALOGUE · PRICE IN RMB



厦门湖里区耐格斯气动经营部
NAGELS PNEUMATIC SALES DEPT.
电话: 0592-5531112
传真: 0592-5531112
地址: 厦门湖里区园山南路800号
赛格电子商城B1042
www.naigesiqd.cn.alibaba.com

Copyright belong to NGS Pneumatic Corporation

N Nagels Pneumatic



耐格斯气动



企业简介 Profile

耐格斯气动经营部位位于中国福建厦门市，是一家专业气动元件等产品的经销商。我们的产品涉及气缸、气动管接头、电磁阀、气动阀、机械阀、气源处理元件、消声器、吹尘枪、PU管等。产品广泛应用于机械、冶金、食品、包装、电子、烟草、化工、木工、塑料、纺织、汽保、娱乐设备等行业。公司与多家零售商和代理商建立了长期稳定的合作关系。

秉承“顾客至上，锐意进取”的经营理念，为广大客户提供优质的服务。以多品种经营特色和薄利多销的原则，赢得了广大客户的信任。

坚持以“科技求发展，以质量求生存”为方针，不断推进企业的创新与发展，期望与世界各地的朋友共享和谐和繁荣。欢迎广大客户惠顾！

Nagels Pneumatic Sales Dept .located at Xiamen ,Fujian . We specializing in marketing various kind of Cylinders、One -touch Fittings、Solenoid Valves、Air Operated Valves、Mechanical Valves、FRL Unit、Exhaust Silencers、Air Dusters、Air Tubes and other pneumatic components .

In accordance with company philosophy of "Customers Foremost ,forge ahead with keen determination " .Carry out our sales principle of promoting the market share by selling at low prices but on a large scale .At the meantime ,Nagels brings better products、updated products and service to our partners constantly .

With the enterprise aim of "developing with quality "、'constructing brand with service " ,Nagels sincerely welcomes new and old customers from abroad or domestically for cooperating hand in hand and creating the new development of pneumatic trade!

气缸系列 Cylinder Series

P01-P12

SC、SU标准气缸 Standard Cylinder	01
ISO6431 DNC标准方型气缸 Standard square Cylinder	02
MA、CM2不锈钢迷你缸 Stainless steel Slim Cylinder	03
CJ2不锈钢迷你缸 Stainless steel Slim Cylinder	04
CY1磁耦式无杆气缸 Rodless Cylinder	04
MAL铝合金迷你缸 Aluminium Alloy Slim Cylinder	05
SDA、CQ2薄型气缸 Compact Cylinder	06
CQS薄型气缸 Compact Cylinder	07
TN、CXS双轴/联气缸 Dual Rod Cylinder	08
STM滑台气缸 Slide Unit	09
MH手指气缸 Air Gripper	09
CRA1摆动气缸 Rotary Actuator	10
OB油缸 Oil Cylinder	10
CJP针形气缸 CJP Pin Cylinder	11
AC油压缓冲器 Shock Absorber	11
磁性开关 Magnetic Switches	11
气缸附件 Cylinder Accessories	12

气源处理 Air Combination

P13-P15

AC、AW、AR、AF气源处理 Air Unit	13
AL、AC/BC、AFC/BFC、AFR/BFR、AR/BR、AF/BF气源处理 Air Unit	14
AL/BL、S、Q 气源处理 Air Unit	15
AD自动排水器 Automatic Drainer	15
压力表 Pressure Gauge	15

阀类 Valve Series

P16-P20

4V、4M、3V系列电磁阀 Solenoid Valve	16
阀座（汇流板） Valve Base	16
3V1、2V、VF、SY系列电磁阀 Solenoid Valve	17
真空发生器 Vacuum Ejector	18
2W、2L(US)、Q系列电磁阀 Solenoid Valve	18
4A、3A气控阀 Air Operated Valve	19
4R、3R手拉阀 Hand Push-Pull Valve	19
4H、3H手扳阀 Hand Control Valve	20
机械阀/手控阀 Mechanical/Hand Operated Valve	20
4F、FV脚踏阀 Foot Valve	20
4HV、HV手转阀 Rotary Valve	20

附件 Fitting Series

P21-P24

快速接头、快拧接头 One-touch Union、Metallic coupler	21
快速接头、C式接头 One-touch Union、Self-align coupler	22
气动消声器 Exhaust Silencer	22
SML多管路接头 Multi Connector	22
铜球阀 Ball Valve	22
铜接头 Brass coupler	23
卡套接头 Ferrule coupler	24
气管、吹尘枪、气管剪 Air Tube、Air Duster、Tube Cutter	24

SC标准气缸
SC Standard Cylinder

型号说明 /Ordering Code
SC - 50 × 50 - S - FA



缸径 Bore
行程 Stroke
(磁石代号/Magnet)
S:附磁环
S:built-in magnetic ring
空白:不附磁环
BLANK:without magnetic ring
SC:标准复动型
SC:standard double-acting type
SCJ:双轴复动可调型 例SCJ50×50-30
SCJ:double-rod double-acting adjustable stroke e.g.SCJ50×50-30
SCD:双轴复动型 例SCD50×50
SCD:double-rod double-acting type e.g.SCD50×50
SCT:双行程复动型 例SCT50×50×20
SCT:double stroke double-acting type e.g.SCT50×50×20
(固定方式 Mounting type)
空白:基本型
BLANK: basic type
LB:前后角架固定
LB:front rear foot bracket
FA:前法兰板
FA:front flange
FB:后法兰板
FB:behind flange
CA:单耳环
CA:single clevis
CB:双耳环
CB:double clevis
TC:中间轴销
TC:center trunnion
TC-M:中间轴销带支架
TC-M:center trunnion with plank

SC型标准气缸价格 /SC Basic Cylinder Price

Table with 11 columns: Stroke行程, Price单价, Bore缸径, 32, 40, 50, 63, 80, 100, 125, 160, 200. Rows include stroke values from 25 to 1000 and a '带磁另加' (Add magnet) row.

注：非标询价定制，双轴（SCD）另加35%，双轴行程可调（SCJ）加45%
PS：nostandard product please enquiry, SCD double-rod increase 35%,SCJ double-rod double-acting adjustable stroke increase 45%
SC气缸请配CS1-F、CS1-U、CS1-S磁性开关 /SC Cylinder please choose CS1-F、CS1-U、CS1-S magnetic switches

SU标准气缸
SU Standard Cylinder

型号说明 /Ordering Code
SU - 50 × 50 - S - FA



缸径 Bore
行程 Stroke
(磁石代号/Magnet)
S:附磁环
S:built-in magnetic ring
空白:不附磁环
BLANK:without magnetic ring
SU:标准复动型
SU:standard double-acting type
SUJ:双轴复动可调型 例SUJ50×50-30
SUJ:double-rod double-acting adjustable stroke e.g.SUJ50×50-30
SUD:双轴复动型 例SUD50×50
SUD:double-rod double-acting type e.g.SUD50×50
SUT:双行程复动型 例SUT50×50×20
SUT:double stroke double-acting type e.g.SUT50×50×20
(固定方式 Mounting type)
空白:基本型
BLANK: basic type
LB:前后角架固定
LB:front rear foot bracket
FA:前法兰板
FA:front flange
FB:后法兰板
FB:behind flange
CA:单耳环
CA:single clevis
CB:双耳环
CB:double clevis
TC:中间轴销
TC:center trunnion
TC-M:中间轴销带支架
TC-M:center trunnion with plank

SU型气缸价格 /SU Type Cylinder Price

Table with 9 columns: Stroke行程, Price单价, Bore缸径, 32, 40, 50, 63, 80, 100, 125, 160. Rows include stroke values from 25 to 1000 and a '带磁另加' (Add magnet) row.

注：非标询价定制，双轴（SUD）另加35%，双轴行程可调（SUJ）加45%
PS：nostandard product please enquiry, SUD double-rod increase 35%,SUJ double-rod double-acting adjustable stroke increase 45%
SU气缸请配F50、F63、F100、F125、F160磁性开关 /SU Cylinder please choose F50、F63、F100、F125、F160 magnetic switches

ISO6431 DNC标准方型气缸
ISO6431 DNC Standard square Cylinder



型号说明 /Ordering Code
DNC - 63 × 50 - PPV - A

缸径 Bore
行程 Stroke
PPV:带缓冲
PPV:with cushion
空白:无缓冲
BLANK: without cushion
DNC:标准复动型
DNC:standard double-acting
(磁石代号/Magnet)
A:附磁环
A:built-in magnetic ring
空白:不附磁环
BLANK:without magnetic ring

DNC型价格 /DNC Type Price

Table with 7 columns: Stroke行程, Price单价, Bore缸径, 32, 40, 50, 63, 80, 100. Rows include stroke values from 50 to 1000.

注：非标询价定制 / PS：nostandard product please enquiry
DNC气缸请配CS1-G、D -E73磁性开关 /DNC Cylinder please choose CS1-G、D -E73 magnetic switches

MA不锈钢迷你缸
MA Stainless Steel
Slim Cylinder

型号说明 /Ordering Code

MA - ☐ - 32 × 50 - S - FA

(后盖型式/Rear Cover Type)
空白:摆尾型/BLANK:single clevis type
U:平尾型/U:front flange type
CM:圆尾型/CM:axial foot type

缸径
Bore

行程
Stroke

(固定方式 /Mounting type)
空白:基本型
LB:前后角架固定
FA:前法兰板
SBD:后摆式

(磁石代号/Magnet)
S:附磁环
S:built-in magnetic ring
空白:不附磁环
BLANK:without magnetic ring

空白:基本型
BLANK: basic type
LB:前后角架固定
FA:前法兰板
SBD:后摆式

MA:标准复动型/MA:standard double-acting
MAR:前盖方盖型/MAR:square cover type
MAC:缓冲型/MAC:buffer type
MAJ:双轴复动可调型 例MAJ32×50-30
MAJ:double-rod double-acting adjustable stroke e.g.MAJ32×50-30
MAD:双轴复动型 例MAD32×50
MAD:double-rod double-acting type e.g.MAD32×50
MSA:弹簧压回型/MSA:spring return type
MTA:弹簧压出型/MTA:spring extend type

MA标准型价格 /MA Basic Type Price

Stroke 行程	Price 单价	Bore 缸径		16	20	25	32	40
25				25	31	37	45	62
50				27	34	40	48	67
75				29	36	43	52	71
100				31	38	45	55	76
125				34	40	48	58	81
150				36	43	51	62	86
175				38	45	54	65	90
200				39	47	57	68	95
250				46	52	62	75	104
300				52	55	65	79	109
带磁另加				2.5	2.5	2.5	2.5	3

注：非标询价定制，双轴（MAD）另加35%，双轴行程可调（MAJ）加45%
PS：nostandard product please enquiry, MAD double-rod increase 35%,MAJ double-rod double-acting adjustable stroke increase 45%
MA气缸请配CS1-F/U/S、D -C73磁性开关 /MAL Cylinder please choose CS1-F/U/S、D -C73 magnetic switches

CM2不锈钢迷你气缸
CM2 Stainless steel Slim Cylinder

型号说明 /Ordering Code

CDM2B - 16 × 60 - ☐ - ☐

CM2B:标准型
CM2B:basic type
CDM2B:标准带磁型
CDM2B:built-in magnet basic type
CM2BJ:双轴复动可调型
CM2BJ:double-rod double-acting adjustable stroke
CM2BD:双轴复动型
CM2BD:double-rod double-acting type

缸径
Bore

行程
Stroke

空白:标准型
BLANK:basic type
S:弹簧压回
S:spring return
T:弹簧压出
T:spring extend

(缓冲 /Cushion)
空白:橡胶
BLANK:rubber
A:气缓冲
A:air

CDM2B型价格 /CDM2B Type Price

Stroke 行程	Price 单价	Bore 缸径		20	25	32	40
25				40	44	57	88
50				43	47	58	89
75				44	48	62	92
100				48	50	65	93
125				51	54	68	99
150				57	60	70	102
175				59	61	74	103
200				63	68	75	114
250				71	74	86	120
300				79	82	99	127

注：非标询价定制，双轴（CM2BD）另加35%，双轴行程可调（CM2BJ）加45%
PS：nostandard product please enquiry, CM2BD double-rod increase 35%,CM2BJ double-rod double-acting adjustable stroke increase 45%
CDM2B气缸请配D -C73磁性开关 /CDM2B Cylinder please choose D -C73 magnetic switch

CJ2不锈钢迷你气缸
CJ2 Stainless steel
Slim Cylinder

型号说明 /Ordering Code

CDJ2B - 16 × 60 - ☐ - ☐

CJ2B:标准型
CJ2B:basic type
CDJ2B:标准带磁型
CDJ2B:built-in magnet type
CJ2D:双U型钩型
CJ2D:double U type hook type
CJ2BJ:双轴复动可调型
CJ2BJ:double-rod double-acting adjustable stroke
CJ2BD:双轴复动型
CJ2BD:double-rod double-acting type

缸径
Bore

行程
Stroke

(头盖端接口形式)
空白:垂直与轴向
BLANK:perpendicular to axial
R:轴向
R:axial

空白:标准型
BLANK:basic type
S:弹簧压回
S:spring return
T:弹簧压出
T:spring extend

CDJ2B型价格 /CDJ2B Type Price

Stroke 行程	Price 单价	Bore 缸径		6	10	12	16
5				42	16	21	20
10				40	21	27	27
15				42	21	27	27
20				44	21	27	27
25				46	21	27	27
30				48	21	27	27
35				52	21	27	27
40				54	21	27	27
45				57	21	27	27
50				59	21	27	27
60				64	27	33	33
75				/	27	33	33
100				/	27	33	33
125				/	29	/	34
150				/	33	40	39
175				/	37	/	43
200				/	42	/	50

注：非标询价定制，双轴（CDJ2BD）另加35%，双轴行程可调（CDJ2BJ）加45%
PS：nostandard product please enquiry, CDJ2BD double-rod increase 35%,CDJ2BJ double-rod double-acting adjustable stroke increase 45%
CDJ2B气缸请配D-C73L/C76L/C80L/H7A1L/H7BL/A72L/A73L/A76L/A80L/F79L/J79L磁性开关
CDJ2B Cylinder please choose D-C73L/C76L/C80L/H7A1L/H7BL/A72L/A73L/A76L/A80L/F79L/J79Lmagnetic switches

CY1磁耦式无杆气缸
CY1 Magnetically Coupled
Rodless Cylinder


型号说明 /Ordering Code

CY1B - 25 × 100

CY1B:标准型
CY1B:basic type
CY1R:直接安装型
CY1R:direct mount type
CY1S:滑动轴承 / 滑尺型
CY1S:slide bearing/slide rule type
CY1L:球轴承 / 滑尺型
CY1L:ball bushing bearing/slide rule type

缸径
Bore

行程
Stroke



CY1B基本型气缸价格 /CY1B Basic Type Cylinder Price

Stroke 行程	Price 单价	Bore 缸径	10	15	20	25	32	40
50			402	429	456	483	589	940
100			402	429	456	483	589	940
150			416	443	475	510	616	967
200			416	443	475	510	616	967
250			429	456	497	522	643	994
300			429	456	497	522	643	994
350			443	470	516	543	670	1021
400			443	470	516	543	670	1021
450			456	483	536	563	697	1048
500			456	483	536	563	697	1048
600		/		497	555	583	724	1075
700		/		510	574	605	751	1102
800		/		524	594	628	778	1125
900		/		529	597	638	788	1140
1000		/		537	601	648	805	1148
1100		/		/	608	656	814	1162
1200		/		/	630	664	823	1170
1300		/		/	634	675	832	1183
1400		/		/	765	817	913	1580
1500		/		/	883	891	1160	1941

注：非标询价定制 / PS : nostandard product please enquiry
CY1S滑尺型气缸请配S-A72L/A73L/A76L/A80L/F79L/J79L磁性开关 /CY1S Slide Rule Cylinder please choose S-A72L/A73L/A76L/A80L/F79L/J79L magnetic switches

MAL铝合金迷你缸
MAL Aluminium Alloy
Slim Cylinder

型号说明 /Ordering Code

MAL - □ - 25 × 50 - S - FA

缸径
Bore

行程
Stroke

(固定方式 /Mounting type)
空白:基本型

(后盖型式/Rear Cover Type)
空白:摆尾型/BLANK:single clevis type
U:平尾型/U:front flange type
CM:圆尾型/CM:axial foot type

(磁石代号/Magnet)
S:附磁环
S:built-in
magnetic ring
空白:不附磁环
BLANK:without
magnetic ring

BLANK: basic type
LB:前后角架固定
LB:front rear foot bracket
FA:前法兰板
FA:front flange
SBD:后摆式
SBD:rear wiggle

MAL:标准复动型
MAL:standard double-acting
MALJ:双轴复动可调型 例MALJ25×50-20
MALJ:double-rod double-acting adjustable stroke e.g.MALJ25×50-20
MALD:双轴复动型 例MALD25×50
MALD:double-rod double-acting type e.g.MALD25×50
MSAL:弹簧压回型 /MSAL:spring return type
MTAL:弹簧压出型 /MTAL:spring extend type

MAL型价格 /MAL Type Price

Stroke 行程	Price 单价	Bore 缸径	16	20	25	32	40
25			21	27	33	40	59
50			22	28	34	42	62
75			23	30	36	44	65
100			24	31	38	46	68
125			25	32	40	48	71
150			26	34	41	50	73
175			27	35	43	52	76
200			28	37	45	54	79
250			30	40	48	58	85
300			32	42	52	63	90
350			37	50	61	74	96
400			40	53	65	79	101
500			44	59	73	88	113
带磁另加			2.5	2.5	2.5	2.5	3

注：非标询价定制，双轴（MALD）另加35%，双轴行程可调（MALJ）加45%
PS : nostandard product please enquiry, MALD double-rod increase 35%,MALJ double-rod double-acting adjustable stroke increase 45%
MAL气缸请配CS1-F/U/S、D -C73磁性开关 /MAL Cylinder please choose CS1-F/U/S、D -C73 magnetic switches

SDA薄型气缸
SDA Compact Cylinder



型号说明 /Ordering Code

SDA S - 32 × 15 - B

S:附磁环
S:built-in
magnetic ring
空白:不附磁环
BLANK:without magnetic ring

缸径
Bore

行程
Stroke

(活塞杆螺纹)
Rod thread
空白:内螺纹
BLANK:internal thread
B:外螺纹
B:external thread
N:无螺纹
N:no thread

SDA:标准复动型/SDA:standard double-acting type
SSA:弹簧压回型/SSA:spring return type
STA:弹簧压出型/SSA:spring extend type
SDAJ:双轴复动可调型 例SDAJ40×50-25
SDAJ:double-rod double-acting adjustable stroke e.g.SDAJ40×50-25
SDAD:双轴复动型 例SDAD40×50/SDAD:double-rod double-acting type e.g.SDAD40×50
SDAT:多位置复动型 例SDAT40×50×25
SDAT:multi-position double-acting type e.g.SDAT40×50×25
SDAW:双轴双行程复动型 例SDAW40×50×25
SDAW:double stroke double-rod double-acting type e.g.SDAW40×50×25

SDA型价格 /SDA Type Price

Stroke 行程	Price 单价	Bore 缸径	12	16	20	25	32	40	50	63	80	100
5			14	16	17	20	25	31	41	57	91	144
10			14	16	18	21	26	32	42	60	95	148
15			15	17	19	22	27	33	44	62	98	153
20			15	17	20	23	28	34	46	64	101	157
25			16	18	20	24	29	36	48	66	105	162
30			16	19	21	25	30	37	49	68	108	167
35			17	19	22	26	31	38	51	70	111	171
40			17	20	22	27	32	40	53	73	115	176
45			18	20	23	28	33	41	55	75	118	181
50			18	21	24	28	34	42	56	77	122	186
55			18	21	25	29	35	44	58	80	125	190
60			19	22	25	30	36	44	60	82	128	195
65			19	22	26	31	37	46	62	84	132	200
70			20	23	27	32	38	47	63	86	140	220
75		/	/	/	28	33	39	49	65	88	144	226
80		/	/	/	28	34	40	50	67	91	147	231
85		/	/	/	29	35	41	51	69	93	151	236
90		/	/	/	31	36	42	53	70	95	154	241
95		/	/	/	32	37	43	54	72	97	158	246
100		/	/	/	33	37	44	61	74	99	161	251
带磁另加			4	4	4	4	4	4	8	8	12	12

注：非标询价定制，双轴（SDAD）另加35%，双轴行程可调（SDAJ）加45%
PS : nostandard product please enquiry, SDAD double-rod increase 35%,SDAJ double-rod double-acting adjustable stroke increase 45%
SDA气缸请配CS1-J磁性开关 /SDA Cylinder please choose CS1-J magnetic switches

CQ2薄型气缸
CQ2 Compact Cylinder



型号说明 /Ordering Code

CQ2 B □ - 20 × 25 - D M

安装类型
(Mounting Type)
B:通孔
B:through hole
A:两端内螺纹
A:both ends female thread

缸径
Bore

行程
Stroke

D:复动式
D:double-acting
S:弹簧压回
S:spring return
T:弹簧压出
T:spring extend

(活塞杆螺纹)
Rod thread
空白:内螺纹
BLANK:internal thread
M:外螺纹
M:external thread

空白:标准型
BLANK:basic type
J:双轴复动可调型 例CQ2BJ40×50-25
J:double-rod double-acting adjustable stroke e.g.CQ2BJ40×20-15
D:双轴复动型 例CQ2BD50×30
D:double-rod double-acting type e.g.CQ2BD50×30

CQ2:标准型
CQ2:basic type
CDQ2:标准带磁型
CDQ2:built-in magnet type

CQ2B(A)型价格 /CQ2B(A) Type Price

Stroke 行程	Bore 缸径 Price 单价	12	16	20	25	32	40	50	63	80	100
5		14	16	17	20	25	31	41	57	91	144
10		14	16	18	21	26	32	42	60	95	148
15		15	17	19	22	27	33	44	62	98	153
20		15	17	20	23	28	34	46	64	101	157
25		16	18	20	24	29	36	48	66	105	162
30		16	19	21	25	30	37	49	68	108	167
35		17	19	22	26	31	38	51	70	111	171
40		17	20	22	27	32	40	53	73	115	176
45		18	20	23	28	33	41	55	75	118	181
50		18	21	24	28	34	42	56	77	122	186
55		/	/	25	29	35	44	58	80	125	190
60		/	/	25	30	36	44	60	82	128	195
65		/	/	26	31	37	46	62	84	132	200
70		/	/	27	32	38	47	63	86	140	220
75		/	/	28	33	39	49	65	88	144	226
80		/	/	28	34	40	50	67	91	147	231
85		/	/	29	35	41	51	69	93	151	236
90		/	/	31	36	42	53	70	95	154	241
95		/	/	32	37	43	54	72	97	158	246
100		/	/	33	37	44	61	74	99	161	251
带磁另加		4	4	4	4	4	4	8	8	12	12

注：非标询价定制，双轴（CQ2BD）另加35%，双轴行程可调（CQ2BJ）加45%
PS：nostandard product please enquiry, CQ2BD double-rod increase 35%,CQ2BJ double-rod double-acting adjustable stroke increase 45%
CQ2B气缸请配D-A93、D-A73磁性开关 /CQ2B Cylinder please choose D-A93、D-A73 magnetic switches

CQS薄型气缸

CQS Compact Cylinder



型号说明 /Ordering Code

CQS □ B - 12 × 10 - D M

缸径 Bore
行程 Stroke
D:复动式 D:double-acting
S:弹簧压回 S:spring return
T:弹簧压出 T:spring extend
(活塞杆螺纹) Rod thread
空白:内螺纹 BLANK:internal thread
M:外螺纹 M:external thread

安装类型 (Mounting Type)
B:通孔 B:through hole
A:两端内螺纹 A:both ends female thread

空白:标准型 BLANK:basic type
W:双轴复动型 例CQSWB12×20D W:double-rod double-acting type e.g. CQSWB12×20D
CQS:标准型 CQS:basic type
CDQS:标准带磁型 CDQS:built-in magnet type

CQSB型价格 /CQSB Type Price

Stroke 行程	Bore 缸径 Price 单价	12	16	20	25
5		27	29	37	40
10		28	32	40	42
15		29	36	45	48
20		32	39	49	51
25		37	41	55	56
30		39	45	59	62
35		43	50	65	67
40		47	55	67	73
45		51	59	72	77
50		56	65	78	81
带磁另加		4	4	4	4

注：非标询价定制，双轴（CQSWB）另加35%
PS：nostandard product please enquiry, CQSWB double-rod increase 35%
CQS气缸请配D-A93、D-A73磁性开关 /CQS Cylinder please choose D-A93、D-A73 magnetic switches

TN双轴/联气缸 TN Dual Rod Cylinder



型号说明 /Ordering Code

TN - 32 × 50 - □

缸径 Bore
行程 Stroke
(磁石代号/Magnet)
S:附磁环 S:built-in magnetic ring
空白:不附磁环 BLANK:without magnetic ring

TN:标准双缸复动型
TN:basic dual rod type

TN标准型价格 /TN Basic Type Price

Stroke 行程	Bore 缸径 Price 单价	10	16	20	25	32
10		37	44	53	64	105
20		39	45	55	67	109
30		40	47	57	69	113
40		41	48	59	72	118
50		43	50	61	74	122
60		44	52	63	77	126
70		45	53	65	79	130
80		58	66	81	96	140
90		59	67	82	98	142
100		62	69	83	100	145
125		63	70	85	103	148
150		64	72	86	105	151

注：非标询价定制，双轴另加35%，双轴行程可调加45%
PS：nostandard product please enquiry, double-rod increase 35% double-rod double-acting adjustable stroke increase 45%
TN气缸请配CS1-J磁性开关/TN Cylinder please choose CS1-J magnetic switch

CXS双轴/联气缸

CXS Dual Rod Cylinder



型号说明 /Ordering Code

CXS - M - 20 × 50

缸径 Bore
行程 Stroke
M:滑动轴承 M:slide bearing
L:球轴承 L:ball bushing bearing

CXS:标准内置磁环型
CXS:basic built-in magnet type
CXSW:双出通杆滑台气缸
CXSW:double rod slide unit

CXSW滑台型价格 /CXSW Slide Unit Price

Stroke 行程	Bore 缸径 Price 单价	10	15	20	25	32
25		189	205	236	305	364
50		202	221	254	324	381
75		230	250	277	344	398
100		254	267	290	364	423
125		/	/	315	385	472
150		/	/	339	405	520


注：非标询价定制 / PS：nostandard product please enquiry
CXSW气缸请配D-Z73L/Z76L/Z80L/Y59AL/Y59BL磁性开关/CXSW Cylinder please choose D-Z73L/Z76L/Z80L/Y59AL/Y59BL magnetic switches

CXS标准内置磁环型价格 /CXS Basic Built-in Magnet Type Price

Stroke 行程	Bore 缸径 Price 单价	10	15	20	25	32
10		49	58	71	92	135
20		50	59	72	94	138
30		51	61	74	98	142
40		54	65	78	101	145
50		57	66	81	105	148
60		61	68	84	108	152
70		64	71	88	115	155
75		68	74	91	118	162
100		71	81	94	122	176
125		78	88	101	128	189
150		84	94	108	135	202

注：非标询价定制 / PS : nostandard product please enquiry
CXS气缸请配D-Z73L/Z76L/Z80L/Y59AL/Y59BL磁性开关/CXS Cylinder please choose D-Z73L/Z76L/Z80L/Y59AL/Y59BL magnetic switches

STM滑台气缸 STM Slide Unit



型号说明 /Ordering Code

STM - B - 25 × 50
缸径 Bore
行程 Stroke

B:本体固定式
C:wood fixed type
C:滑块固定式
L:slide block fixed type
双出通杆滑台气缸
double rod slide unit

STMB滑台型价格 /STMB Slide Unit Price

Stroke 行程	Bore 缸径 Price 单价	10	15	20	25	32
25		138	154	209	287	388
50		155	172	233	313	414
75		169	189	253	342	443
100		196	216	284	377	478
125		216	236	304	408	510
150		236	256	331	439	543

注：非标询价定制 / PS : nostandard product please enquiry
STMB气缸请配CS1-GC磁性开关/STMB Cylinder please choose CS1-GC magnetic switch

MH手指气缸 MH Air Gripper



型号说明 /Ordering Code

MH - 25 - □
缸径 Bore
(动作 /Action)
D:复动型 /D:double acting
S:单动 (常开)
S:single acting(normally open)
C:单动 (常闭)
C:single acting(normally closed)
MHZ2:平行开关
MHZ2:parallel type gripper
MHZJ2:平行开关防尘型
MHZJ2:parallel type with dust cover
MHC2:支点开关标准型
MHC2:angular type gripper
MHL2:宽型
MHL2:wide type

MH手指气缸价格 /MH Air Gripper Price

Model 型号	Bore 缸径 Price 单价	10	16	20	25	32	40
MHZ2		324	362	387	425	529	567
MHC2		277	300	324	362	/	/
MHL2		540	624	810	1053	1282	/

注：MH气缸请配D-F9NL/F9BL/F8NL/F8BL/Y59NL/Y59BL磁性开关
MH Cylinder please choose F9NL/F9BL/F8NL/F8BL/Y59NL/Y59BL magnetic switches

CRA1摆动气缸 CRA1 Rotary Actuator



型号说明 /Ordering Code


CRA1 B W 80 - 90
缸径 Bore
旋转角度 Rotating Angle
安装形式 (Mounting type)
B:标准型/B:basic type
L:脚架型/L:foot type
F:法兰型/F:flange type
CRA1:不带磁型
CRA1:without magnet
CDRA1:带磁型
CDRA1:built-in magnet
W:双杆型
W:double rod
S:单杆型
S:single rod

CRA1型价格 /CRA1 Type Price

Rotating Angle 旋转角度	Bore 缸径 Price 单价	30	50	63	80	100
90 °		589	878	1097	1203	2128
180 °		657	937	1168	1310	2241

注：CRA1气缸请配D-A54磁性开关
CRA1 Cylinder please choose D-A54 magnetic switche

OB油缸/OB Oil Cylinder 型号说明 /Ordering Code



MOB - □ - 100 × 80 - □ - FA

B:标准型
B:basic type
L1:双出杆型
L:行程可调型
L:adjustable stroke type
缸径 Bore
行程 Stroke
(磁石代号/Magnet)
S:附磁环
S:built-in magnetic ring
空白:不附磁环
BLANK:without magnetic ring
LB:前后角架固定
LB:front rear foot bracket
FA:前法兰板
FA:front flange
FB:后法兰板
FB:behind flange
CA:单耳环
CA:single clevis
TC:中间轴销
TC:center trunnion
MOB:中低压型/MOB:medium/low pressure
HOB:高中压型/HOB:high/medium pressure
ROB:中低压型/ROB:medium/low pressure
SOB:中低压型/SOB:medium/low pressure

MOB型价格 /MOB Type Price

Stroke 行程	Bore 缸径 Price 单价	32	40	50	63	80	100	125
50		118	126	137	188	226	359	521
100		131	138	147	198	252	385	551
150		144	154	161	220	277	421	603
200		160	166	176	240	284	457	649
250		174	181	185	263	307	491	708
300		183	198	209	284	336	529	758
350		203	211	221	306	365	563	808
400		215	223	236	326	391	610	863
450		229	233	250	347	418	633	893
500		243	252	276	370	437	670	964
600		272	297	311	421	496	737	1105
700		307	315	339	465	549	818	1166
800		338	363	393	513	602	897	1267
900		396	430	465	563	652	975	1363
1000		456	485	519	621	707	1078	1464

注：非标询价定制，双轴另加35%，双轴行程可调加45%
PS : nostandard product please enquiry, double-rod increase 35%,double-rod double-acting adjustable stroke increase 45%
MOB油缸请配CS1-F、CS1-U、CS1-S磁性开关 /MOB Oil Cylinder please choose CS1-F、CS1-U、CS1-S magnetic switches

CJP针形气缸 CJP Pin Cylinder



型号说明
Ordering Code
CJPB - 10 × 5


缸径 Bore
行程 Stroke
CJPB: 单动弹簧压回型
CJPB: single acting spring return type

CJPB型价格 /CJPB Type Price

Stroke 行程	Bore 缸径		6	10	16
	Price 单价				
5			16	17	19
10			16	17	38
15			17	19	41

AC油压缓冲器

AC Shock Absorber



型号说明 /Ordering Code

AC - 14 16 - 1 - N

轴套外牙 Outside Thread
冲击行程 Stroke
(缓冲帽/Cushion Cap)
空白: 带缓冲帽 Blank: with cap
N: 不带缓冲帽 N: without cap
(冲击速度/Impact speed)
1: 高速 1: high impact speed
2: 中速 2: medium impact speed
3: 低速 3: low impact speed
AC: 自动补偿式 AC: auto compensation type
AD: 可调式 AD: adjustable type

AC/AD/ACD/SR型缓冲器价格 /AC/AD/ACD/SR Shock Absorber Price

型号/Model	价格/Prcie	型号/Model	价格/Prcie	型号/Model	价格/Prcie	型号/Model	价格/Prcie
AC0806	48	AC2525	150	AD2020	118	AD4225	570
AC1005	48	AC2540	165	AD2030	118	AD4250	600
AC1008	48	AC2550	180	AD2050	134	AD4275	675
AC1210	48	AC2580	225	AD2525	150	SR30	206
AC1412	71	AC3660	225	AD2540	166	SR60	236
AC1416	71	AD1410	71	AD2550	188	ACD2030双向	225
AC2020	118	AD1412	71	AD2580	240	ACD2035双向	225
AC2030	118	AD1416	71	AD3625	270	ACD2050双向	225
AC2050	134	AD2016	118	AD3650	285	ACD2050-W双向	240



磁性开关价格 /Magnetic Switches Price

型号/Model	价格/Price	适用气缸/Application	型号/Model	价格/Price	适用气缸/Application
CS1-U	8	SC、MAL、MA、C85	D-C73	12	CDM2B、MA、C85、MAL
CS1-F	8		D-A54	18	CDRA1
CS1-S	9		D-Z73	12	DNC、CXSW、CXS、MGPM、MGQM
CS1-J	8	SDA、TN	D-A93	12	CDQ2B、CDU、MK、CDQSB
CS1-G	12	MD、DNC、CXSW、CXS、MGPM、MGQM	D-A73	12	

气缸附件 Cylinder Accessories

图片 Photo	型号 Model	价格 Price
单耳环 Single Clevis	CA-32	7.0
	CA-40	7.8
	CA-50	9.4
	CA-63	12.5
	CA-80	23.4
	CA-100	26.5
	CA-125	46.8
	CA-160	93.6
	CA-200	140.4
	CA-250	327.6
Y型接头 Y type connector	Y-32	6.2
	Y-40	7.0
	Y-50	8.6
	Y-63	8.6
	Y-80	14.0
	Y-100	14.0
	Y-125	29.6
	Y-160	48.4
	Y-200	48.4
	Y-250	124.8
法兰 Flange	FA-32	7.0
	FA-40	7.8
	FA-50	9.4
	FA-63	12.5
	FA-80	23.4
	FA-100	26.5
	FA-125	46.8
	FA-160	93.6
	FA-200	140.4
	FA-250	327.6
销子 CB Pin	CB-32	0.8
	CB-40	0.9
	CB-50	1.1
	CB-63	1.1
	CB-80	2.3
	CB-100	2.3
	CB-125	7.0
	CB-160	14.0
	CB-200	14.0
	CB-250	34.3
磁性开关支架 Auto Switch bracket	M6	3.2
	M8	3.2
	M10	3.2
	M12	4.0
	M16	4.9

图片 Photo	型号 Model	价格 Price
双耳环 Double Clevis	CB-32	7.0
	CB-40	7.8
	CB-50	9.4
	CB-63	12.5
	CB-80	23.4
	CB-100	26.5
	CB-125	46.8
	CB-160	93.6
	CB-200	140.4
	CB-250	327.6
I型接头 I type connector	I-32	4.7
	I-40	7.0
	I-50	8.6
	I-63	8.6
	I-80	12.5
	I-100	12.5
	I-125	31.2
	I-160	51.5
	I-200	51.5
脚架(对/set) Foot Bracket	LB-32	4.7
	LB-40	5.5
	LB-50	7.0
	LB-63	8.6
	LB-80	11.7
	LB-100	14.8
	LB-125	34.3
	LB-160	62.4
	LB-200	109.2
Y型销子 Y type Pin	Y-32	0.6
	Y-40	0.8
	Y-50	1.2
	Y-63	1.6
	Y-80	1.9
	Y-100	1.9
	Y-125	3.9
	Y-160	10.1
	Y-200	10.1
	Y-250	28.9
浮动接头 Floating Joint	M4*0.7	11.0
	M5*0.8	11.8
	M6*1	11.8
	M8*1.25	16.8
	M10*1.25	20.0
	M12*1.25	23.6
	M14*1.5	33.6
	M16*1.5	35.3
	M18*1.5	38.6
	M20*1.5	47.0
	M27*2	72.3

图片 Photo	型号 Model	价格 Price
中摆座 Center Trunnion	TC-32	14.0
	TC-40	15.6
	TC-50	17.2
	TC-63	20.3
	TC-80	28.1
	TC-100	31.2
	TC-125	49.9
	TC-160	78.0
	TC-200	210.6
	TC-250	405.6
中摆座 Center Trunnion with Base	TCM-40	29.6
	TCM-50	29.6
	TCM-63	29.6
	TCM-80	39.0
	TCM-100	39.0
	TCM-125	51.5
	TCM-160	93.6
MAL脚架(对/set) MAL Foot Bracket	LB-16	6.5
	LB-20	6.9
	LB-25	6.9
	LB-32	7.6
	LB-40	9.1
MAL/MA 磁性开关扣环 auto switch mounting band	MAL-16	3.3
	MAL-20	3.3
	MAL-25	3.3
	MAL-32	3.3
	MAL-40	3.3
	MA-16	3.3
	MA-20	3.3
	MA-25	3.3
	MA-32	3.3
	MA-40	3.3
鱼眼接头 Piston rod ball joint	M4*0.7	7.6
	M5*0.8	4.2
	M6*1	4.2
	M8*1.25	5.9
	M10*1.25	7.6
	M12*1.25	9.3
	M14*1.5	15.2
	M16*1.5	16.8
	M18*1.5	25.8
	M20*1.5	28.6
	M27*2	90.0

AC三联件 F.R.L unit AC series(three-union)



型号说明/Ordering Code

AC 2000 -02 - D

型号 Model	额定流量 Rated Flow (L/min) 2000:500 3000:2000 4000:4000 5000:5000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	--	---	--

型号 Model	价格 Price	自动排水型 Model	价格 Price
AC2000-01	63	AC2000-01D	83
AC2000-02	63	AC2000-02D	83
AC3000-02	99	AC3000-02D	136
AC3000-03	99	AC3000-03D	136
AC4000-03	144	AC4000-03D	189
AC4000-04	144	AC4000-04D	189
AC4000-06	158	AC4000-06D	209
AC5000-06	220	AC5000-06D	270
AC5000-10	220	AC5000-10D	270

AC二联件 F.R.L unit AC series(two-union)



型号说明/Ordering Code

AC 2010 -02 - D

型号 Model	额定流量 Rated Flow (L/min) 2010:500 3010:1700 4010:3000 5010:7000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	--	---	--

型号 Model	价格 Price	自动排水型 Model	价格 Price
AC2010-01	52	AC2010-01D	75
AC2010-02	52	AC2010-02D	75
AC3010-02	84	AC3010-02D	116
AC3010-03	84	AC3010-03D	116
AC4010-03	122	AC4010-03D	162
AC4010-04	122	AC4010-04D	162
AC4010-06	129	AC4010-06D	169
AC5010-06	194	AC5010-06D	241
AC5010-10	194	AC5010-10D	241

AW过滤调压阀 Filter+regulator AW series



型号说明/Ordering Code

AW 2000 -02 - D

型号 Model	额定流量 Rated Flow (L/min) 2000:550 3000:2000 4000:4000(G1 /2 ") 4500(G3 /4 ") 5000:7000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	--	---	--

型号 Model	价格 Price	自动排水型 Model	价格 Price
AW2000-01	34	AW2000-01D	53
AW2000-02	34	AW2000-02D	53
AW3000-02	55	AW3000-02D	82
AW3000-03	55	AW3000-03D	82
AW4000-03	86	AW4000-03D	117
AW4000-04	86	AW4000-04D	117
AW4000-06	87	AW4000-06D	122
AW5000-06	128	AW5000-06D	159
AW5000-10	128	AW5000-10D	159

AR调压阀 Regulator AR series



型号说明/Ordering Code

AR 2000 -02

型号 Model	额定流量 Rated Flow (L/min) 2000:550 3000:2500 4000:6000 5000:8000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "
-------------	--	---

型号 Model	价格 Price
AR2000-01	25
AR2000-02	25
AR3000-02	40
AR3000-03	40
AR4000-03	63
AR4000-04	63
AR4000-06	68
AR5000-06	81
AR5000-10	81

AF过滤器 Filter AF series



型号说明/Ordering Code

AF 2000 -02 - D

型号 Model	额定流量 Rated Flow (L/min) 2000:550 3000:2500 4000:6000 5000:8000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	--	---	--

型号 Model	价格 Price	自动排水型 Model	价格 Price
AF2000-01	12	AF2000-01D	34
AF2000-02	12	AF2000-02D	34
AF3000-02	27	AF3000-02D	56
AF3000-03	27	AF3000-03D	56
AF4000-03	37	AF4000-03D	69
AF4000-04	37	AF4000-04D	69
AF4000-06	40	AF4000-06D	75
AF5000-06	61	AF5000-06D	98
AF5000-10	61	AF5000-10D	98

AL油雾器 Lubricator AL series



型号说明/Ordering Code

AL 2000 - 02

型号 Model	额定流量 Rated Flow (L/min) 2000:800 3000:1700 4000:5000(G1 /2 ") 6300(G3 /4 ") 5000:7000	接管口径 Port Size 01:G1/8 " 02:G1/4 " 03:G3/8 " 04:G1/2 " 06:G3/4 " 10:G1 "
-------------	--	---

型号 Model	价格 Price
AL2000-01	15
AL2000-02	15
AL3000-02	24
AL3000-03	24
AL4000-03	35
AL4000-04	35
AL4000-06	40
AL5000-06	66
AL5000-10	66

AC/BC三联件 F.R.L unit(three-union)



型号说明/Ordering Code

AC 2000 - D

型号 Model	接管口径 Port Size 1500:G1/8 " 2000:G1/4 " 3000:G3/8 " 4000:G1/2 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	---	--

型号 Model	价格 Price
AC2000	48
BC2000	80
BC3000	80
BC4000	80

AFC/BFC二联件 F.R.L unit(two-union)



型号说明/Ordering Code

AFC 2000 - D

型号 Model	接管口径 Port Size 1500:G1/8 " 2000:G1/4 " 3000:G3/8 " 4000:G1/2 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	---	--

型号 Model	价格 Price
AFC2000	35
BFC2000	68
BFC3000	68
BFC4000	68

AFR/BFR过滤调压阀 Filter+regulator



型号说明/Ordering Code

AFR 2000 - D

型号 Model	接管口径 Port Size 1500:G1/8 " 2000:G1/4 " 3000:G3/8 " 4000:G1/2 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	---	--

型号 Model	价格 Price
AFR2000	22
BFR2000	38
BFR3000	38
BFR4000	38

AR/BR调压阀 Regulator



型号说明/Ordering Code

AR 2000

型号 Model	接管口径 Port Size 1500:G1/8 " 2000:G1/4 " 3000:G3/8 " 4000:G1/2 "
-------------	---

型号 Model	价格 Price
AR2000	17
BR2000	24
BR3000	24
BR4000	24

AF/BF过滤器 Filter



型号说明/Ordering Code

AF 2000 - D

型号 Model	接管口径 Port Size 1500:G1/8 " 2000:G1/4 " 3000:G3/8 " 4000:G1/2 "	排水方式 Drain Type 空白:手动排水 D:自动排水 Automatic drain
-------------	---	--

型号 Model	价格 Price
AF2000	11
BF2000	23
BF3000	23
BF4000	23

AL/BL油雾器 Lubricator



型号说明/Ordering Code
AL 2000

型号
Model
AL:A系列
AL:A Series
BL:B系列
BL:B Series

接管口径
Port Size
1500:G1/8 "
2000:G1/4 "
3000:G3/8 "
4000:G1/2 "

型号 Model	价格 Price
AL2000	13
BL2000	25
BL3000	25
BL4000	25

S系列气源处理件 Air F.R.L unit S series



型号说明
Ordering Code
SFC 200

型号/Model
SFC:二联件
SFC:Two union
SFR:过滤调压阀
SFR:Filter+regulator
SL:油雾器/SL:Lubricator

接管口径
Port Size
200:G1/4 "
300:G3/8 "
400:G1/2 "

型号 Model	价格 Price
SFC200	66
SFC300	66
SFC400	66
SFR200	42
SFR300	42
SFR400	42
SL200	34
SL300	34
SL400	34

Q系列气源处理件 Air F.R.L unit Q series



型号说明
Ordering Code
QTY 20

型号/Model
QTY:调压阀
QTY:Regulator
QIU:过滤器
QIU:Filter
QSL:油雾器
QSL:Lubricator

公称通径及接口
Port Diameter&Size
08:G1/4 " 40:G1 1/2 "
10:G3/8 " 50:G2 "
15:G1/2 "
20:G3/4 "
25:G1 "

型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
QTY-8	45	QIU-08	37	QSL-08	37
QTY-10	45	QIU-10	37	QSL-10	37
QTY-15	45	QIU-15	37	QSL-15	37
QTY-20	80	QIU-20	63	QSL-20	63
QTY-25	80	QIU-25	63	QSL-25	63
QTY-40	153	QIU-40	120	QSL-40	135
QTY-50	153	QIU-50	120	QSL-50	135

AD自动排水器 Automatic Drainer



型号说明/Ordering Code
AD 402 - 04

型号
Model
排水口径
Drain Port Size
402:G3/8 "
400:G1/2 "
*400:带手动开关
*400:with manual switch

型号 Model	价格 Price
AD402-04	49
AD400-04	60
/	/
/	/
/	/

压力表 Pressure Gauge



型号说明/Ordering Code
Y 40 - 01

型号
Model
外径
Outer Diameter
40:40mm
50:50mm

接管口径
Port Size
01:G1/8 "
02:G1/4 "

型号 Model	价格 Price
Y40-01	7
Y40-02	7
Y50-01	7.8
Y50-02	7.8

注:气源处理件中需要铜滤芯，2000型需加2元，3000型加3元，4000型加5元，5000型加7元。
PS:Using brass filter casing of air filer inside, should increase ¥2 to 2000 series, ¥3 to 3000 series, ¥5 to 4000 series, ¥7 to 5000 series respectively

五通电磁阀 5 Ports Solenoid Valve



型号说明 /Ordering Code

4V - 2 10 - 08 - AC220V


系列代码
Series Code
1:100系列
1:100 series
2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series

线圈及位数
Position&Coil
10:二位单电控
10:2 positions single
20:二位双电控
20:2 positions double
30C:三位中封式
30C:3 positions closed center
30E:三位中泄式
30E:3 positions exhaust center
30P:三位中压式
30P:3 positions pressure center

接管口径
Port Size
M5:M5
06:G1/8 "
08:G1/4 "
10:G3/8 "
15:G1/2 "

电压
Voltage
DC12V
DC24V
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz

规格
Series
4V:五通电磁阀
4V:5 ports solenoid valve
4M:五通侧口电磁阀
4M:5 ports side hole solenoid valve



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
4V110-M5	32	4V210-06	32	4V310-08	43	4V410-15	71
4V110-06	32	4V210-08	32	4V310-10	43	4V420-15	95
4V120-M5	49	4V220-06	49	4V320-08	63	4V430C-15	138
4V120-06	49	4V220-08	49	4V320-10	63	4V430E-15	138
4V130C-M5	85	4V230C-06	81	4V330C-08	98	4V430P-15	138
4V130C-06	85	4V230C-08	81	4V330C-10	98	4M210-08	35
4V130E-M5	85	4V230E-06	81	4V330E-08	98	4M210-10	35
4V130E-06	85	4V230E-08	81	4V330E-10	98	4M220-08	54
4V130P-M5	85	4V230P-06	81	4V330P-08	98	4M310-10	44
4V130P-06	85	4V230P-08	81	4V330P-10	98	4M320-10	65

3V系列三通电磁阀 3V 3 Ports Solenoid Valve



型号说明 /Ordering Code

3V - 2 10 - 08 - NC - AC220V

系列代码
Series Code
1:100系列
1:100 series
2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series


线圈及位数
Position&Coil
10:二位单电控
10:2 positions single
20:二位双电控
20:2 positions double

接管口径
Port Size
M5:M5
06:G1/8 "
08:G1/4 "
10:G3/8 "
15:G1/2 "

初始状态
Original State
NC:常闭型
NC:normal closed
NO:常开型
NO:normal open

电压
Voltage
DC12V
DC24V
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz

规格
Series
3V:三通电磁阀
3V:3 ports solenoid valve



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
3V110-M5	32	3V210-06	32	3V310-08	43	3V420-15	95
3V110-06	32	3V210-08	32	3V310-10	43	/	/
3V120-M5	49	3V220-06	49	3V320-08	63	/	/
3V120-06	49	3V220-08	49	3V320-10	63	/	/

阀座（汇流板） Valve Base



100M - 5F

型号/Model
100M:4V100系列 阀用/4V100 series
200M:4V200系列 阀用/4V200 series
300M:4V300系列 阀用/4V300 series
400M:4V400系列 阀用/4V400 series
VF3000 VF5000 SY3000 SY5000 SY7000

连座数目
Number of Connector


型号 Model	价格 Price	型号 Model	价格 Price
100M	4.5/座	VF3000	8/座
200M	4.5/座	VF5000	13/座
300M	7.5/座	SY3000	10/座
400M	15/座	SY5000	10/座
/	/	SY7000	10/座

3V1系列三通电磁阀 3V1 3 Ports Solenoid Valve



型号说明 /Ordering Code
3V 1 - 06 - AC220V

系列代码
Series Code
1:100系列
1:100 series
规格
Series
3V:三通电磁阀
3V:3 ports solenoid valve
接管口径
Port Size
M5:M5
06:G1/8 "
电压
Voltage
DC12V
DC24V
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz




型号 Model	价格 Price
3V1-M5	28
3V1-06	28

2V系列二通电磁阀 2V 2 Ports Solenoid Valve



型号说明 /Ordering Code
2V 025 - 08 - AC220V

规格
Series
2V:二通电磁阀
2V:2 ports solenoid valve
接管口径
Port Size
06:G1/8 "
08:G1/4 "
电压
Voltage
DC12V
DC24V
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz




型号 Model	价格 Price
2V025 -06	27
2V025 -08	27

VF系列五通电磁阀 VF Series Solenoid Valve




型号说明 /Ordering Code
VF3 1 30 4 G B -02

规格
Series
VF3系列
VF3 Series
VF5系列
VF5 Series
线圈及位数
Position&Coil
1:二位单电控
1:2 positions single
2:二位双电控
2:2 positions double
3:三位中封式
3:3 positions closed center
4:三位中泄式
4:3 positions exhaust center
5:三位中压式
5:3 positions pressure center
顺序号
Order No.
FV3:30
FV2:20
电压
Voltage
3:AC110V 50Hz/60Hz
4:AC220V 50Hz/60Hz
5:DC24V
6:DC12V




型号 Model	价格 Price
VF3130	54
VF3230	83
VF5120	74
VF5220	101

SY系列五通电磁阀 SY Series Solenoid Valve



型号说明 /Ordering Code
SY3 1 2 0 -4 L □ - 02

规格
Series
SY3:3000系列
SY3:3000 Series
SY5:5000系列
SY5:5000 Series
SY7:7000系列
SY7:7000 Series
线圈及位数
Position&Coil
1:二位单电控
1:2 positions single
2:二位双电控
2:2 positions double
3:三位中封式
3:3 positions closed center
4:三位中泄式
4:3 positions exhaust center
5:三位中压式
5:3 positions pressure center
直接配管
Boby ported
电压
Voltage
3:AC110V
4:AC220V
5:DC24V
6:DC12V
接线形式
Wiring
L:L型插座
L:L plug connector
M:M型插座
M:M plug connector
G:直接出线
G:lead wire
D:Din接线盒
D:Din wiring box
手动操作
Manual operation
接管口径
Port Size
M5:M5
01:G1/8 "
02:G1/4 "
03:G3/8 "



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
SY3120	114	SY5120	114	SY7120	133
SY3220	183	SY5220	183	SY7220	205
SY3320	245	SY5320	245	SY7320	263

真空发生器 Vacuum Ejector



型号说明 /Ordering Code
CV - 15 - H - S - CK

CV系列
CV series
ZU直管系列
ZU In-line type
喷嘴直径mm
Nozzle diameter
05:Φ0.5
07:Φ0.7
10:Φ1.0
15:Φ1.5
20:Φ2.0
最大真空度
Maximum vaccum pressure
空白:标准型
Blank:standard type
R:-86.6(高真空型/high vacuum)
H:-86.6(高真空型/high vacuum)
S:-86.6(高真空型/high vacuum)
L:-53.3(大流量型/large flow)
进气压力MPa
Supply air pressure
S:0.5 R:0.35
真空开关
Vacuum switch
空白:标准型
Blank:standard type
C:设定值不可调
C:initial value unadjustable
CK:设定值可调
CK:initial value adjustable

型号 Model	价格 Price
CV-05-R	36
CV-10-R	32
CV-15-R	50
CV-20-R	72
CV-05-L	36
CV-10-L	32
CV-15-L	50
CV-20-L	72
ZU05S	32
ZU07S	36
ZU05L	32
ZU07L	36

2W二通直动式电磁阀 2W 2 Ports Direct Acting Solenoid Valve



型号说明 /Ordering Code
2W 025 - 08 -AC220V -V

规格
Series
2W系列电磁阀
2W Series
油封代号
Seal code
空白:NBR
Blank:NBR
V:VITON(高温用)
接管口径
Port Size
06:G1/8 "
08:G1/4 "
10:G3/8 "
15:G1/2 "
20:G3/4 "
25:G1 "
35:G1 1/4 "
40:G1 1/2 "
50:G2 "
电压
Voltage
DC12V
DC24V
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz
（常闭型）

型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
2W-025-06	30	2W-250-25	135	2W-200-20常开型	165
2W-025-08	30	2W-350-35	290	2W-250-25常开型	226
2W-040-10	56	2W-400-40	290	2W-350-35带法兰	572
2W-160-10	80	2W-500-50	469	2W-400-40带法兰	572
2W-160-15	80	2W-025-08常开型	104	2W-500-50带法兰	954
2W-200-20	90	2W-160-15常开型	144	/	/

2L(US)先导式电磁阀 Guide Solenoid Valve



型号说明 /Ordering Code
2L 025 - 08 - AC220V

规格
Series
2L电磁阀(蒸汽型)
2L soleniod valve(Steam type)
接管口径
Port Size
10:G3/8 "
15:G1/2 "
20:G3/4 "
25:G1 "
35:G1 1/4 "
40:G1 1/2 "
50:G2 "
电压
Voltage
AC110V 50Hz/60Hz
AC220V 50Hz/60Hz
AC380V 50Hz/60Hz
DC12V
DC24V

型号 Model	价格 Price
2L170-10	200
2L170-15	200
2L170-20	210
2L200-25	219
2L300-35	324
2L300-40	324
2L500-50	708
2L300-35常开型	416
2L300-40常开型	416
2L500-50常开型	606


Q系列微型电磁阀 Mini Solenoid Valve



型号说明 /Ordering Code
Q 22 - X - D - □ - □

规格
Series
Q系列
Q Series
位数
Position
22:二位二通
22:2 positions 2 ports
23:二位三通
23:2 positions 3 ports
X:小型
X:Miniature
D:电控
D:electric control
空白:板接式
Blank:plate connection
L:管接式
L:pipe connection
接管口径
Port Size
10:G3/8 "
15:G1/2 "
20:G3/4 "
25:G1 "
35:G1 1/4 "
40:G1 1/2 "
50:G2 "

型号 Model	价格 Price
Q22XD-2L铝体	33
Q22XD-2L铜体	42
Q23XD-2L铝体	33
Q23XD-2L铜体	42



4A五通气控阀 5 Ports Air Operated Valve




型号说明 /Ordering Code
4A - 2 10 - 08

系列代码
Series Code
1:100系列
1:100 series
2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series

线圈及位数
Position&Coil
10:二位单电控
10:2 positions single
20:二位双电控
20:2 positions double
30C:三位中封式
30C:3 positions closed center
30E:三位中泄式
30E:3 positions exhaust center
30P:三位中压式
30P:3 positions pressure center

接管口径
Port Size
M5:M5
06:G1/8 " 08:G1/4 " 10:G3/8 " 15:G1/2 "

规格
Series
4A:五通气控阀
4A:5 ports air operated valve



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
4A110-M5	21	4A210-06	21	4A310-08	28	4A410-15	57
4A110-06	21	4A210-08	21	4A310-10	28	4A420-15	71
4A120-M5	28	4A220-06	28	4A320-08	36	4A430C-15	115
4A120-06	28	4A220-08	28	4A320-10	36	4A430E-15	115
4A130C-M5	71	4A230C-06	71	4A330C-08	80	4A430P-15	115
4A130C-06	71	4A230C-08	71	4A330C-10	80	/	/
4A130E-M5	71	4A230E-06	71	4A330E-08	80	/	/
4A130E-06	71	4A230E-08	71	4A330E-10	80	/	/
4A130P-M5	71	4A230P-06	71	4A330P-08	80	/	/
4A130P-06	71	4A230P-08	71	4A330P-10	80	/	/

3A系列三通气控阀 3A 3 Ports Air Operated Valve




型号说明 /Ordering Code
3A - 2 10 - 08

系列代码
Series Code
1:100系列
1:100 series
2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series

线圈及位数
Position&Coil
10:二位单电控
10:2 positions single
20:二位双电控
20:2 positions double

接管口径
Port Size
M5:M5
06:G1/8 " 08:G1/4 " 10:G3/8 " 15:G1/2 "

规格
Series
3A:三通电磁阀
3A:3 ports air operated valve



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
3A110-M5	21	3A210-06	21	3A310-08	28	3A410-15	57
3A110-06	21	3A210-08	21	3A310-10	28	3A420-15	72
3A120-M5	28	3A220-06	28	3A320-08	36	/	/
3A120-06	28	3A220-08	28	3A320-10	36	/	/

手拉阀 Hand Push-Pull Valve




型号说明 /Ordering Code
4R - 2 10 - 08

2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series

10:单头双位置
10:2 positions single

接管口径
Port Size
M5:M5
06:G1/8 " 08:G1/4 " 10:G3/8 " 15:G1/2 "

型号
Model
4R:二位五通
4R:2 positions 5 ports
3R:二位三通
3R:2 positions 3 ports



型号 Model	价格 Price	型号 Model	价格 Price
4R110-M5	21	3R110-M5	21
4R110-06	21	3R110-06	21
4R210-06	21	3R210-06	21
4R210-08	21	3R210-08	21
4R310-08	28	3R310-08	28
4R310-10	28	3R310-10	28
4R410-15	57	3R410-15	57

手扳阀 Hand Control Valve




型号说明 /Ordering Code
4H - 2 10 - 08

2:200系列
2:200 series
3:300系列
3:300 series
4:400系列
4:400 series

10:单头双位置
10:2 positions single

接管口径
Port Size
06:G1/8 " 08:G1/4 " 10:G3/8 " 15:G1/2 "

型号
Model
4H:二位五通
4H:2 positions 5 ports
3H:二位三通
3H:2 positions 3 ports



型号 Model	价格 Price	型号 Model	价格 Price
4H210-06	28	3H210-06	28
4H210-08	28	3H210-08	28
4H310-08	34	3H310-08	40
4H310-10	34	3H310-10	40
4H410-15	65	3H410-08	65

机械阀/手控阀 Mechanical / Hand Operated Valve




型号说明 /Ordering Code
MV 52 1 EB

1:G1/8 " 2:G1/4 " 空白:基本型/Blank:basic
R:滚轮型/R:roller lever
TB:选择开关/TB:twist selector
LB:加长型选择开关/LB:lenghten twist selector
EB:带锁急停按钮开关/EB:with lock push button
PB:蘑菇头按钮开关/PB:mushroom push button
PP:平圆型按钮开关/PP:flat push button
PPL:凸圆型按钮开关/PPL:extened push button

52:二位五通
52:2 positions 5 ports
32:二位三通
32:2 positions 3 ports

MV系列
MV series
MOV系列
MOV series
JM系列
JM series



型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
MV522	27	MV322	27	MOV321	13.5	JM322	20
MV522R	31	MV322R	30	MOV321R	16.5	JM322R	21
MV522EB	31	MV322EB	30	MOV321EB	16.5	JM322EB	21
MV522PB	31	MV322PB	30	MOV321PB	16.5	JM322PB	21
MV522PPL	31	MV322PPL	30	MOV321PPL	16.5	JM322PPL	21
MV522PP	31	MV322PP	30	MOV321PP	16.5	JM322PP	21
MV522TB	31	MV322TB	30	MOV321TB	16.5	JM322TB	21

脚踏阀 Foot Valve



型号说明 /Ordering Code
4F 2 10 - 08 - □


200系列
200 Series
10:双位置
10:2 positions
2:二位五通
2 positions 5 ports

接管口径
Port Size
08:G1/4 "

空白:基本型
Blank:basic
L:附锁型/L:with lock
LG:附锁以及罩型
LG:with lock and cover

420:二位四通/2 positions 4 ports
320:二位三通/2 positions 3 ports

FV系列
FV Series



型号 Model	价格 Price
4F210-08	56
4F210-08L	70
4F210-08LG	85
FV320	39
FV420	41

手转阀 Rotary Valve



4HV 3 30 - 15 - □

2:2系列/series
2:2 series
3:3系列/series
3:3 series
4:4系列/series
4:4 series


30:三位四通
30:3 positions 4 ports
10:二位四通
10:2 positions 4 ports

接管口径
Port Size
06:G1/8 " 15:G1/2 " 20:G3/4 " 10:G3/8 "

空白:阀体安装
Blank:valve body mounting
S:面板安装
S:panel mounting

三位四通
二位四通

接管口径
Port Size
02:G1/4 " 03:G3/8 " 04:G1/2 "



型号 Model	价格 Price
4HV210-06/08	45
4HV310-08/10	52.5
4HV410-15/20	82.5
4HV230-06/08	48
4HV330-08/10	55.5
4HV430-15/20	84
HV-02	30.5
HV-03	30.5
HV-04	30.5

快速接头、快拧接头 One-touch Union

Name 名称 Price 单价 Spec 规格													
	PC 直通外螺 male straight	PCF 直通内螺 female straight	PL 弯通外螺 male elbow	PLF 弯通内螺 female elbow	PLL 加长 弯通外螺 long elbow	PB T型正 三通外螺 male tee	PD T型侧 三通外螺 branch tee	PX Y型 三通外螺 branch Y	SL 节流 弯通外螺 speed control	PH 六角 弯通外螺 universal elbow	KPC 快拧 直 通外螺 male straight	KPCF 快拧 直 通内螺 female straight	KPL 快拧弯 通外螺 male elbow
4-M5	0.80	1.23	1.02	2.42	2.53	1.95	1.95	1.95	2.58	1.87	1.37	/	/
4-M6	0.80	1.23	1.02	2.42	2.53	1.95	1.95	1.95	2.58	1.87	/	/	/
4-01	0.80	1.23	1.09	2.28	2.53	1.95	1.95	1.95	2.91	2.23	1.37	/	/
4-02	1.23	2.31	1.47	3.59	2.81	1.95	1.95	1.95	5.45	4.86	/	/	/
4-03	1.75	/	1.88	/	3.70	2.34	2.34	2.34	/	/	/	/	/
6-M5	0.80	1.23	1.19	2.63	2.53	1.74	1.74	1.74	2.60	1.87	1.37	/	/
6-M6	0.80	1.23	1.19	2.63	2.53	1.74	1.74	1.74	2.60	1.87	/	/	/
6-01	0.84	1.23	1.27	3.20	2.53	1.74	1.74	1.74	2.91	2.23	1.29	1.67	2.28
6-02	1.15	2.42	1.56	4.27	2.96	2.23	2.23	2.23	5.45	4.86	1.52	2.13	3.34
6-03	1.75	2.53	1.88	4.45	4.10	2.38	2.38	2.38	8.21	6.89	2.28	3.04	4.56
6-04	3.16	3.82	2.96	6.26	6.05	3.34	3.34	3.34	10.43	8.33	2.74	3.65	6.69
8-01	1.13	1.67	1.70	3.39	3.24	2.23	2.23	2.23	2.91	2.38	1.52	1.82	3.04
8-02	1.13	2.42	1.70	3.96	3.24	2.23	2.23	2.23	5.53	4.86	1.67	2.13	3.34
8-03	1.67	2.58	2.10	4.45	4.10	2.64	2.64	2.64	8.21	6.89	2.43	3.34	4.56
8-04	2.96	3.82	3.24	6.34	6.34	3.88	3.88	3.88	10.43	8.33	2.89	3.65	6.69
10-01	1.58	2.73	2.31	5.44	5.07	3.16	3.16	3.16	3.20	2.69	2.28	2.28	3.88
10-02	1.58	2.66	2.61	5.44	5.25	3.57	3.57	3.57	5.45	4.86	2.28	2.43	3.88
10-03	1.75	2.87	3.25	5.44	5.25	3.28	3.28	3.28	8.21	6.89	2.74	3.34	5.02
10-04	2.66	4.31	3.45	6.83	7.17	4.33	4.33	4.33	10.55	8.33	3.04	4.10	6.99
12-01	2.38	4.31	3.57	6.83	7.17	4.51	4.51	4.51	/	/	2.89	3.04	5.62
12-02	2.46	4.31	3.57	6.83	7.17	4.51	4.51	4.51	8.67	4.86	2.89	3.34	5.78
12-03	2.46	4.31	3.57	6.83	7.17	4.51	4.51	4.51	9.22	6.89	3.19	3.65	5.78
12-04	2.73	4.72	3.73	8.61	7.17	4.51	4.51	4.51	12.02	8.33	3.34	4.56	7.60
14-04	4.68	/	5.19	/	/	7.55	7.55	7.55	/	/	5.02	/	/
16-03	5.45	/	6.54	/	/	7.55	7.55	7.55	/	/	5.62	/	/
16-04	5.45	/	6.54	/	/	7.55	7.55	7.55	/	/	5.62	/	/
16-06	7.05	/	7.90	/	/	8.34	8.34	8.34	/	/	5.70	/	/

Name 名称 Price 单价 Spec 规格												
	LSA 管道 式节流阀 speed controller	PU 直通 union straight	PV 弯通 elbow	PY Y型三通 union Y	PE T型三通 union tee	PM 隔板直通 bulkhead union	PZA 十字四通 cross	PK 五通 triple union	HVFF 卸荷阀 hand valve	KPU 快拧直通 union straight	KPV 快拧弯通 elbow	KPE 快拧三通 union tee
4	3.00	0.50	0.50	0.83	0.83	1.52	1.00	1.18	7.06	2.10	2.70	3.60
6	3.92	0.58	0.58	0.86	0.86	1.75	1.14	1.51	8.34	2.55	3.45	4.50
8	4.87	0.66	0.66	1.03	1.03	2.25	1.36	1.89	8.72	3.60	4.35	6.30
10	8.64	0.99	0.99	1.52	1.52	3.88	2.06	2.61	11.02	4.05	6.30	8.25
12	12.73	1.24	1.24	1.87	1.87	5.42	2.51	3.26	13.07	/	/	/
14	/	2.96	2.96	3.73	3.73	/	/	/	/	/	/	/
16	/	2.83	2.83	3.48	3.48	/	/	/	/	/	/	/


快速接头 One-touch Connector

Name 名称 Price 单价 Spec 规格					Name 名称 Price 单价 Spec 规格		Name 名称 Price 单价 Spec 规格	
	PG 直通变径 reducer union straight	PW Y型三通变径 reducer union Y	PEG 正三通变径 reducer union tee	PKG 五通变径 reducer union triple		PKD 螺纹五通变径 thread reducer branch triple		PKB 螺纹五通 threaded branch triple
6-4	0.62	0.96	0.96	1.72	6-4-01	2.92	4-01	2.89
8-6	0.69	1.14	1.14	2.12	8-6-01	3.00	4-02	2.98
10-8	0.96	1.67	1.67	2.12	8-6-02	3.00	6-01	2.97
12-10	1.27	2.16	2.16	2.54	10-8-03	3.68	6-02	3.58
8-4	0.74	1.15	1.15	2.65	12-10-04	4.62	6-03	4.53
10-6	1.01	1.60	1.60	2.54	8-4-01	3.00	8-01	3.00
12-8	1.25	1.82	1.82	3.59	8-4-02	3.00	8-02	3.00
16-12	4.94	/	/	4.72	10-6-03	3.84	8-03	3.81
					12-8-04	4.71	10-03	4.65

C式接头 Coupler

S P - 20

M:外牙/male 接管尺寸
F:内牙/female Port Size
H:插管/tails 10:G1/8 "(Φ6*4 HOSE)
P:锁管/coupler 20:G1/4 "(Φ8*5 HOSE)
MV二通/2way 30:G3/8 "(Φ10*6.5 HOSE)
MY三通/3way 40:G1/2 "(Φ12*8 HOSE)

Name 名称 Price 单价 Spec 规格					多管路接头 Multi Connector	型号 Model	价格 Price
	BSL	BSLM	BESL	PSL		SML2	9.3
M5	0.70	0.55	/	0.91		SML3	10.8
G1/8 "	0.70	0.55	2.78	0.91		SML4	12.4
G1/4 "	1.45	1.10	3.11	0.91		SML5	15.5
G3/8 "	2.41	2.01	7.79	2.43		SML6	18.6
G1/2 "	3.41	2.41	11.57	3.80			
G3/4 "	8.04	/	20.03	/			
G1 "	14.07	/	44.51	/			
G1¼ "	60.27	/	/	/			
G1½ "	70.31	/	/	/			
G2 "	109.41	/	/	/			

铜接头、附件 Brass Connector Fitting

球阀 Ball Valve

2 2 M F

尾部规格
Back end size
前部规格
Front size
1:G1/8 "(Φ6)
2:G1/4 "(Φ8)
3:G3/8 "(Φ10)
4:G1/2 "(Φ12)

尾部类型
Back end style
前部类型
Front style
M:外牙/male
F:内牙/female
H:插管/tails
P:锁管/coupler

型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price	型号 Model	价格 Price
22MF	2.9	22MM	2.9	22FF	2.9	11HH	2.9	21FH	2.9	23FH	2.9	21MH	2.9	23MH	2.9
33MF	3.7	33MM	3.7	33FF	3.7	22HH	2.9	31FH	3.7	33FH	3.7	31MH	3.7	33MH	3.7
44MF	4.6	44MM	4.6	44FF	4.6	33HH	3.7	22FH	2.9	43FH	4.6	22MH	2.9	43MH	4.6
						44HH	3.7	32FH	3.7	24FH	4.1	32MH	3.7	24MH	4.1
								42FH	4.6	44FH	4.6	42MH	4.6	44MH	4.6

图片 Photo	型号 Model	规格 Spec	价格 Price
	TP01	1/8	0.47
	TP02	1/4	0.69
	TP03	3/8	1.30
	TP04	1/2	1.87
	TPGMF01-02	G1/8-G1/4	0.69
	TPGMF02-03	G1/4-G3/8	0.84
	TPGMF02-04	G1/4-G1/2	1.61
	TPGMF03-04	G3/8-G1/2	1.15
	TPGMF04-06	G1/2-G3/4	2.14
	TPGMF04-10	G1/2-G1	4.90
	TPGMF06-10	G3/4-G1	3.82
	TPU01	G1/8	0.76
	TPU02	G1/4	0.84
	TPU03	G3/8	1.38
	TPU04	G1/2	2.30
	TPU06	G3/4	3.06
	TPG01-02	G1/8-G1/4	0.92
	TPG02-03	G1/4-G3/8	1.38
	TPG02-04	G1/4-G1/2	1.68
	TPG03-04	G3/8-G1/2	1.68
	TPUF01	G1/8	0.92
	TPUF02	G1/4	1.22
	TPUF03	G3/8	1.68
	TPUF04	G1/2	2.75
	TPVF01	G1/8	1.99
	TPVF02	G1/4	2.75
	TPVF03	G3/8	3.67
	TPVF04	G1/2	4.59
	TPV01	G1/8	1.68
	TPV02	G1/4	2.75
	TPV03	G3/8	2.91
	TPV04	G1/2	3.82
	TPE01	G1/8	2.30
	TPE02	G1/4	3.21
	TPE03	G3/8	3.52
	TPE04	G1/2	4.74
	TPEF01	G1/8	2.45
	TPEF02	G1/4	3.52
	TPEF03	G3/8	4.74
	TPEF04	G1/2	6.12

图片 Photo	型号 Model	规格 Spec	价格 Price
	TPLMF01	G1/8	1.99
	TPLMF02	G1/4	2.75
	TPLMF03	G3/8	3.52
	TPLMF04	G1/2	4.44
	TPUMF01	G1/8	1.07
	TPUMF02	G1/4	1.45
	TPUMF03	G3/8	1.76
	TPUMF04	G1/2	2.60
	TPUGMF01-02	G1/8-G1/4	1.53
	TPUGMF02-03	G1/4-G3/8	1.68
	TPUGMF02-04	G1/4-G1/2	2.45
	TPUGMF03-04	G3/8-G1/2	2.60
	CV01	G1/8	3.21
	CV02	G1/4	4.74
	CV03	G3/8	7.04
	CV04	G1/2	12.24
	PPC6-01	Φ6-G1/8	0.76
	PPC6-02	Φ6-G1/4	0.99
	PPC6-03	Φ6-G3/8	1.38
	PPC6-04	Φ6-G1/2	1.68
	PPC8-01	Φ8-G1/8	0.92
	PPC8-02	Φ8-G1/4	0.99
	PPC8-03	Φ8-G3/8	1.38
	PPC8-04	Φ8-G1/2	1.68
	PPC10-01	Φ10-G1/8	0.99
	PPC10-02	Φ10-G1/4	1.07
	PPC10-03	Φ10-G3/8	1.38
	PPC10-04	Φ10-G1/2	1.53
	PPC12-01	Φ12-G1/8	1.38
	PPC12-02	Φ12-G1/4	1.38
	PPC12-03	Φ12-G3/8	1.68
	PPC12-04	Φ12-G1/2	1.99
	PPC14-04	Φ14-G1/2	1.99
	PPC16-04	Φ16-G1/2	2.60
	PPC16-06	Φ16-G3/4	4.13
	PPC19-04	Φ19-G1/2	3.06
	PPC19-06	Φ19-G3/4	4.28

图片 Photo	型号 Model	规格 Spec	价格 Price
	PPCF6-01	Φ6-G1/8	1.07
	PPCF6-02	Φ6-G1/4	1.22
	PPCF8-01	Φ8-G1/8	1.07
	PPCF8-02	Φ8-G1/4	1.38
	PPCF8-03	Φ8-G3/8	1.68
	PPCF8-04	Φ8-G1/2	2.14
	PPCF10-02	Φ10-G1/4	1.38
	PPCF10-03	Φ10-G3/8	1.68
	PPCF10-04	Φ10-G1/2	2.14
	PPL6-01	Φ6-G1/8	2.45
	PPL6-02	Φ6-G1/4	2.45
	PPL6-03	Φ6-G3/8	3.06
	PPL6-04	Φ6-G1/2	3.67
	PPL8-01	Φ8-G1/8	2.45
	PPL8-02	Φ8-G1/4	2.45
	PPL8-03	Φ8-G3/8	3.06
	PPL8-04	Φ8-G1/2	3.67
	PPL10-01	Φ10-G1/8	2.45
	PPL10-02	Φ10-G1/4	2.45
	PPL10-03	Φ10-G3/8	3.21
	PPL10-04	Φ10-G1/2	3.98
	PPL12-01	Φ12-G1/8	3.06
	PPL12-02	Φ12-G1/4	3.21
	PPL12-03	Φ12-G3/8	3.67
	PPL12-04	Φ12-G1/2	4.13
	PPY6	Φ6	2.14
	PPY8	Φ8	2.14
	PPY10	Φ10	2.14
	PPY12	Φ12	3.37
	PPU6	Φ6	0.84
	PPU8	Φ8	0.92
	PPU10	Φ10	1.07
	PPU12	Φ12	1.53
	PPE6	Φ6	2.14
	PPE8	Φ8	2.14
	PPE10	Φ10	2.30
	PPE12	Φ12	3.37

卡套接头 Self-align Coupler Ferrul Style

图片 Photo	型号 Model	价格 Price	图片 Photo	型号 Model	价格 Price	图片 Photo	型号 Model	价格 Price
	FPC4-M5	1.4		FPL6-01	2.3		FPE6	3.8
	FPC6-M5	1.4		FPL6-02	3.3		FPE8	4.6
	FPC6-01	1.3		FPL6-03	4.7		FPE10	6.4
	FPC6-02	1.5		FPL6-04	7.0		FPE12	8.1
	FPC6-03	2.3		FPL8-01	2.9		FPU6	2.1
	FPC6-04	2.7		FPL8-02	3.2		FPU8	2.7
	FPC8-01	1.5		FPL8-03	4.9		FPU10	3.6
	FPC8-02	1.9		FPL8-04	7.0		FPU12	4.1
	FPC8-03	2.4		FPL10-01	4.0		FPV6	2.7
	FPC8-04	2.9		FPL10-02	4.0		FPV8	3.5
	FPC10-01	2.3		FPL10-03	5.3		FPV10	4.6
	FPC10-02	2.3		FPL10-04	6.8		FPV12	6.4
	FPC10-03	2.7		FPL12-01	5.5		FPG8-6	2.9
	FPC10-04	3.0		FPL12-02	5.6		FPG10-8	3.6
	FPC12-01	2.9		FPL12-03	5.6		FPG12-8	4.3
	FPC12-02	2.9		FPL12-04	7.6		FPG12-10	4.3
	FPC12-03	3.2		FPC12-04	3.5		union tee	
	male straight			male elbow			union straight	

气管与其他附件 Tubing & Accessories

图片 Photo	型号 Model	长度 Length	价格/Price (有色/coloured)	价格/Price (透明/transparent)	图片 Photo	吹尘枪 Air Duster	价格 Price
	PU管 PU Tube					TS(短/short)	3.5
	PU-4*2.5	200M	99	106			
	PU-6*4	200M	175	179		TS-L(长/long)	4.5
	PU-8*5	100M	143	160			
	PU-10*6.5	100M	233	251			
	PU-12*8	100M	312	334			
	PU-14*10	100M	426	471			
PU-16*12	100M	509	578				
	PE管 PE Tube		62			DG-10	6
	PE-4*2.5	200M	68				
	PE-6*4	200M	51				
	PE-8*5	100M	98			989	10
	PE-10*6.5	100M	113				
	PE-12*8	100M					
	PU弹簧管 Spring Tube		6.9*9.9*13.8*16.8 (不带接头 /without coupler)			气管剪 Tube cutter	6.5
	PU-6*4	6M*9*12M*15M	10.6*15.2*19.8*24.3 (不带接头 /without coupler)				
	PU-8*5	6M*9*12M*15M	18.2*25.8*33.4*42.6 (不带接头 /without coupler)				
	PU-10*6.5	6M*9*12M*15M	24.3*35*45.6*57.8 (不带接头 /without coupler)				
	PU-12*8	6M*9*12M*15M					